

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26	(input\$4 or enter\$3) near2 ((read or write) adj (characteristic or performance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:36
L2	0	(input\$4 or enter\$3) near2 (random adj read adj hit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:36
L3	18	raid with (maximize adj (performance or availability))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:36
L4	1305	random adj (read\$3 or fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:37
L5	2515	sequential adj (read or fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:37
L6	4	performance adj comfort adj zone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:37
L7	25361	raid or (redundant adj array adj inexpensive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:37
L8	394039	san or (storage adj area adj network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:37

L9	37904	(configur\$3 or configuration) near3 (RAID or array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:38
L10	1	14 adj hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:38
L11	70	14.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:38
L12	1455	17.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:38
L13	1302	18.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:38
L14	166214	(disk or disc or dasd).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:38
L15	13	111 and (112 or 113 or 114)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/12/14 08:39